VOLUME 75 • AUTHOR INDEX

Abdullah M *see* Rogstad KE *et al*
Adler MW. Cinderella and the glass slipper: the growth and modernisation of a specialty, **439**
Adrien A *see* Brisson M *et al*
Agbaje O *see* Ikimalo J *et al*
Ahmad S, Powell P. Biliary atresia in an infant born to an HIV positive mother: *letter*, **448**
Ahmed J *see* Bogaerts J *et al*
Ahmed-Jushuf I *see* James NJ *et al*
see Rogstad KE *et al*
Akhter N *see* Bogaerts J *et al*
Al-Izzi M *see* Maiti H and Al-Izzi M
Allan PS *see* Jaleel H *et al*
see Jaleel H *et al*
see Narouz N *et al*
Allard R *see* Vanhems P *et al*
Altamirano PD *see* Gaete MV *et al*
Alves VAF *see* Derchain SFM *et al*
Alwin DM. Male circumcision: *letter*, **132**
Andalò F *see* D'Antuono A *et al*
Andersen B *see* Møller JK *et al*
Andre J *see* Ross JDC *et al*
Andrews WW *see* Ebrahim SH *et al*
Antonopoulos J. Male circumcision: *letter*, **132**
Anya SE *see* Ozumba UC *et al*
Arvaja M *et al*. Serological evaluation of herpes simplex virus type 1 and type 2 infections in pregnancy, **168**
Arya OP, Hart CA. Sexually transmitted infections and AIDS in the tropics: *letter*, **362**

Babatunde S *see* Ikimalo J *et al*
Babiker A *see* Loveday C *et al*
Bai H *see* Fang XF *et al*
Bailey AS *see* Lacey HB *et al*
Baldin A *see* Malkin JE *et al*
Balen AH *see* Wilson JD *et al*
Ball JK *et al*. Poor reduction of HIV-1 RNA titres in nucleoside reverse transcriptase inhibitor experienced patients treated with indinavir combination therapy, **337**
Baratin D *see* Vanhems P *et al*
Bardsley M *see* Hickman M *et al*
Bassett M *see* Gwanzura L *et al*
Bayirli B *see* Sarma AV *et al*
Beards GM *see* Ball JK *et al*
Begum N *see* Bogaerts J *et al*
Beksinska ME *et al*. The practice and prevalence of dry sex among men and women in South Africa: a risk factor for sexually transmitted infections?, **178**
Bergenström A *et al*. HIV testing and prevention: family planning clinic attenders in London: *letter*, **130**
Berger B *see* Zenilman JM *et al*
Bergsson G *see* Thormar H *et al*
Bertan M *see* Hodoglugil NNS *et al*
Bertherat E *et al*. Seroprevalence of HIV, hepatitis B, and syphilis in an urban population and isolated villages in Gabon, **271**
Bhaduri S, Riley VC. Haematospermia associated with malignant hypertension, **200**
Bhattacharjee B *et al*. Scanning electron microscopy of endometrial biopsies of patients with bacterial vaginosis shows morphology resembling mycoplasma/ureaplasma organisms: *letter*, **202**
Bianchi A *see* Malkin JE *et al*
Billington A *see* Imrie J *et al*
Bindels PJE *see* Reedijk M *et al*
see Reedijk M *et al*
Bingham JS. What to do with the patient with recurrent vulvovaginal candidiasis, **225**
Birley H, Renton A. The evolution of monogamy in humans, **126**
Birley HDL *see* Bhattacharjee B *et al*
Biron F *see* Vanhems P *et al*
Blackwell AL. Vaginal bacterial phaginosis?, **352**
Blount J *see* Winceslaus J *et al*
Boag FC *see* Fox PA *et al*
Boeke AJP *see* van Valkengoed IGM and Boeke AJP
Bogaerts J *et al*. Sexually transmitted infections in a basic healthcare clinic in Dhaka, Bangladesh: syndromic management for cervicitis is not justified, **437**
Bogard M *see* Malkin JE *et al*
Bohbot J-M *see* Malkin JE *et al*
Boily M-C *see* Brisson M *et al*
Bonard D *see* Msellati P *et al*
Bootes J *see* Harper R *et al*
Bottomley CPEH *et al*. Integrated clinical service for sexual assault victims in a genitourinary setting, **116**
Bougoudogo F *see* Mulanga-Kabeya C *et al*
Bowden FJ *see* Mein J *et al*
Bowden FJ, Garnett GP. Why is *Trichomonas vaginalis* ignored?: *editorial*, **372**
Bowden FJ *et al*. Estimating the prevalence of *Trichomonas vaginalis*, *Chlamydia trachomatis*, *Neisseria gonorrhoeae*, and human papillomavirus infection in indigenous women in northern Australia, **431**
Brabin L *see* Ikimalo J *et al*
Bradbeer C *see* Harper R *et al*
Bradbeer C, Navaratne L. Cervical screening in genitourinary medicine clinics—what are we trying to achieve?: *editorial*, **286**
Bradby H, Williams R. Behaviours and expectations in relation to sexual intercourse among 18–20 year old Asians and non-Asians, **162**
Briggs ND *see* Ikimalo J *et al*
Brisson M *et al*. Highlights of the sexual activity of the heterosexual population in the province of Quebec, **296**
Brook MG *see* Guha I and Brook MG
Brown D *see* Brugha R *et al*
Brugha R, Zwi AB. Sexually transmitted disease control in developing countries: the challenge of involving the private sector: *editorial*, **283**
Brugha R *et al*. Should we be screening for asymptomatic HSV infections?: *editorial*, **142**
Brunham RC *see* Cohen CR and Brunham RC
Brunst M *see* Shahmanesh M *et al*
Buvé A. Genital ulcer disease in Africa: many pieces are still missing from the puzzle: *editorial*, **85**

Cancellieri C *see* Mastroianni A and Cancellieri C
Cane PA *see* Pillay D *et al*
Capewell S *see* Devonshire P *et al*
Carlà E *see* D'Antuono A *et al*
Cartoux M *see* Msellati P *et al*
Catchpole M *see* Hickman M *et al*
see Simms I *et al*
Cessot G *see* Malkin JE *et al*
Charlett A *see* Hickman M *et al*
Chen F *et al*. Cushing's syndrome and severe adrenal suppression in patients treated with ritonavir and inhaled nasal fluticasone: *letter*, **274**
Chester T *see* Taylor GP *et al*
Christensen B, Hengge UR. Recurrent urogenital herpes simplex—successful treatment with imiquimod?: *letter*, **132**
Churchill DR *see* Chen F *et al*
Clark BJ *see* Devonshire P *et al*
Cocci C *see* D'Antuono A *et al*
Codere G *see* Yirrell DL *et al*
Coggins C. Avoiding HIV transmission: women need more options: *editorial*, **374**
Cohen CR, Brunham RC. Pathogenesis of chlamydia induced pelvic inflammatory disease: *review*, **21**
Combe P *see* Msellati P *et al*
Cooper DA *see* Kaufmann GR *et al*
Coppola A *see* Mein J *et al*
Corbitt G *see* Lacey HB *et al*
Cotte L *see* Vanhems P *et al*
Cryer C *see* Winceslaus J *et al*
Cunningham AL *see* Lo JYC *et al*
Curran R *see* Ball JK *et al*

Dabis F *see* Leroy V *et al*
see Msellati P *et al*
Daley-Yates PT *see* Chen F *et al*
D'Antuono A *et al*. Acute urethritis due to *Neisseria meningitidis*: *letter*, **362**
Prevalence of STDs and HIV infection among immigrant sex workers attending an STD centre in Bologna, Italy: *letter*, **273**
Davidson EAF. Evaluating outreach clinics: *for debate*, **198**
Day JH *et al*. Protection from *Pneumocystis carinii* pneumonia: *letter*, **202**
Day S *see* Ward H *et al*
de Abreu HJ *see* Derchain SFM *et al*
de Angelis D *see* Hickman M *et al*
De Clercq A *see* Leroy V *et al*
de Clercq E *see* Thormar H *et al*
de Fanti AS *see* Malkin JE *et al*
Delaporte E *see* Mulanga-Kabeya C *et al*
Der GJ *see* Hart GJ *et al*
Derchain SFM *et al*. Association of oncogenic human papillomavirus DNA with high grade cervical intraepithelial neoplasia: the role of cigarette smoking, **406**
de Tommaso S *see* D'Antuono A *et al*
Devonshire P *et al*. Knowledge of *Chlamydia trachomatis* genital infection and its consequences in people attending a genitourinary medicine clinic, **409**
Diawara Z *see* Mulanga-Kabeya C *et al*

Dippel E *see* Meljanac N *et al*
Divekar A, Gogate A. Ciprofloxacin resistance in *Neisseria gonorrhoeae* isolated in Mumbai (formerly Bombay), India, **122**
Dobbins JG *see* Kamali A *et al*
Dollimore N *see* Ikimalo J *et al*
Dosso M *see* Msellati P *et al*
Dowe G *et al.* High prevalence of genital *Chlamydia trachomatis* infection in women presenting in different clinical settings in Jamaica: implications for control strategies, **412**
Draper H *see* Winter AJ *et al*
Dubard MB *see* Ebrahim SH *et al*
Duncan B, Hart G. A social science perspective on screening for *Chlamydia trachomatis*, **239**
Dunham RJC *see* Wilson JD *et al*
Dunn D *see* Loveday C *et al*

Ebrahim SH *et al.* Syphilis, gonorrhoea, and drug abuse among pregnant women in Jefferson County, Alabama, US, 1980–94: monitoring trends through systematically collected health services data, **300**
Eggleton S, Tang A. Management of difficult anogenital warts: *letter*, **449**
Elford J *see* Sherr L *et al*
Elliman A. Contraceptive needs of women: *letter*, **131**
Elliott SA. Contact tracing—is this the way to go?: *letter*, **130**
Estcourt C *see* Tideman R *et al*
Estcourt CS *see* Ward AM *et al*
see Wen LM *et al*
Evans B *see* Goldberg D and Evans B

Fairley CK *see* Bowden FJ *et al*
Fang XF *et al.* Rapid detection of glycoprotein G gene for the diagnosis and typing of herpes simplex virus infection in genital herpes, **396**
Faul JL *see* Fang XF *et al*
Fearfield LA *see* Simpson-Dent SL *et al*
Fenton KA *see* Imrie J *et al*
Fethers K *see* Marks C *et al*
Field PR *see* Lo JYC *et al*
Fleming DT, Wasserheit JN. From epidemiological synergy to public health policy and practice: the contribution of other sexually transmitted diseases to sexual transmission of HIV infection: *review*, **3**
Flowers P *see* Hart GJ *et al*
Foley E, Harindra V. Cervical cytology: are national guidelines adequate for women attending genitourinary medicine clinics?, **349**
Fowler W. Frank Lanigan O'Keefe, **75**
Fox PA *et al.* HIV seroconversion illness following acute hepatitis A: *letter*, **133**
Foxman B *see* Sarma AV *et al*
Frankis JS *see* Hart GJ *et al*
Frederick J *see* Dowe G *et al*
Fresia A *see* Zenilman JM *et al*

Gaete MV *et al.* Prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* in Chilean asymptomatic adolescent males determined by urine sample, **67**
Garangué S *see* Mulanga-Kabeya C *et al*
Garland SM *see* Bowden FJ *et al*
Garnett GP *see* Bowden FJ and Garnett GP
see White PJ and Garnett GP
Gaston JSH *see* Shahmanesh M *et al*
Gautier-Charpentier L *see* Msellati P *et al*
Gazzard BG, Moyle G. Commentary: Resistance testing—a clinical perspective: *editorial*, **141**
Georges-Courbot MC *see* Bertherat E *et al*
Georgsson G *see* Thormar H *et al*
Ghys PD *see* Piper MA *et al*
see Vernon SD *et al*
Gill MJ, Ross JDC. Role of bacterial typing in genitourinary medicine: *editorial*, **211**
Gogate A *see* Divekar A and Gogate A
Goldberg D, Evans B. The AIDS diagnosis—down but certainly not out: *editorial*, **213**
Goldberg DJ *see* Yirrell DL *et al*
Goldenberg RL *see* Ebrahim SH *et al*
Goodfellow A *et al.* Predicting penicillin resistance in patients with gonorrhoea, **190**
Gott M. Sexually transmitted infections in the elderly: *letter*, **131**
Gough KR *see* Turner A *et al*
Grant DM *see* Patel R *et al*
Gray JJ *see* Sonnex C *et al*
Green PM *see* Lacey HB *et al*
Greenberg AE *see* Piper MA *et al*
see Vernon SD *et al*
Grosskurth H. From Mwanza and Rakai to Beijing and Moscow? STD control and HIV prevention: *editorial*, **83**
Guha I, Brook MG. Influenza myositis and rhabdomyolysis in an HIV positive man: was zidovudine a co-factor?: *letter*, **204**
Gunnarsson E *see* Thormar H *et al*
Gwanzura L *et al.* Syphilis serology and HIV infection in Harare, Zimbabwe, **426**

Haefner H *see* Sarma AV *et al*
Halioua B *see* Malkin JE *et al*
Halperin DT. Dry sex practices and HIV infection in the Dominican Republic and Haiti: *for debate*, **445**
Hamilton G *see* Harper R *et al*
Harindra V *see* Foley E and Harindra V
Harper R *et al.* Screening for sexually transmitted disease and HIV infection in termination of pregnancy services: a survey in South Thames region: *letter*, **203**
Harrison D. Male circumcision: *letter*, **132**
Hart CA *see* Arya OP and Hart CA
see Ikimalo J *et al*
Hart G *see* Duncan B and Hart G
Hart GJ *et al.* Homosexual men's HIV related sexual risk behaviour in Scotland, **242**
Hawkins DA *see* Fox PA *et al*
Hay P *see* Hickman M *et al*
Hengge UR *see* Christensen B and Hengge UR
Henzel D *see* Mulanga-Kabeya C *et al*
Herrington CS *see* Bhattacharjee B *et al*
Hickman M *et al.* Impact of HIV on adult (15–54) mortality in London: 1979–96, **385**
Incidence of gonorrhoea diagnosed in GUM clinics in South Thames (West) Region, **306**
Hillman R *see* Devonshire P *et al*
Hiscock E. Contact tracing: *letter*, **76**
Sexually transmitted diseases and communications with general practitioners: *letter*, **204**
Ho DWT *see* Lo JYC *et al*
Hodoglugil NNS *et al.* Prevalence of reproductive tract infections in family planning clients in Trabzon, Turkey, **360**
Horn K *et al.* A novel approach to outcome evaluation: *for debate*, **195**
Horowitz IR *see* Piper MA *et al*
see Vernon SD *et al*
Howling SJ *et al.* Acute pulmonary embolism in patients with HIV disease, **25**
Hughes S *see* James NJ *et al*
Hylton-Kong T *see* Dowe G *et al*

Ikimalo J *et al.* Sexually transmitted infections among Nigerian adolescent schoolgirls, **121**
Ikokwu-Wonodi C *see* Ikimalo J *et al*
Imrie J *et al.* HIV prevention and homosexual men: should we be optimistic about the new millennium?: *editorial*, **369**
Irving WL *see* Ball JK *et al*
Ison CA, Martin IMC. Susceptibility of gonococci isolated in London to therapeutic antibiotics: establishment of a London surveillance programme, **107**

Jaleel H *et al.* Penile intraepithelial neoplasia—a veiled lesion in genitourinary medicine, **435**
Sexually transmitted infections in elderly people: *letter*, **449**
James NJ *et al.* A collaborative approach to management of chlamydial infection among teenagers seeking contraceptive care in a community setting, **156**
Judd A *see* Hickman M *et al*

Kaewkungwal J *see* Limpakarnjanarat K *et al*
Kamali A *et al.* Seroprevalence and incidence of genital ulcer infections in a rural Ugandan population, **98**
Karim QA, Karim SSA. South Africa: host to a new and emerging HIV epidemic: *editorial*, **139**
Karim SSA *see* Karim QA and Karim SSA
Karita E *see* Leroy V *et al*
Katzenstein DA *see* Gwanzura L *et al*
Kaufmann GR *et al.* Immune reconstitution in HIV-1 infected subjects treated with potent antiretroviral therapy: *review*, **218**
Kearney T *see* Chen F *et al*
Kellock DJ *et al.* Knowledge of *Chlamydia trachomatis* infection in genitourinary medicine clinic attenders, **36**
Kemp J *see* Ikimalo J *et al*
Keogh L *see* Temple-Smith MJ *et al*
Khryanin AA *see* Lycova SG and Khryanin AA
King SD *see* Dowe G *et al*
Kinghorn G *see* Scoular A and Kinghorn G
Kinghorn GR. After Bristol—how should genitourinary medicine respond?: *editorial*, **144**
Kleinschmidt I *see* Beksinska ME *et al*
Knox J *see* Mein J *et al*
Korattana S *see* Limpakarnjanarat K *et al*
Koskela P *see* Arvaja M *et al*
Kristmundsdóttir T *see* Thormar H *et al*
Kurtz Z *see* Harper R *et al*

Lacey HB *et al.* A study of anal intraepithelial neoplasia in HIV positive homosexual men, **172**
Ladner J *see* Leroy V *et al*
Lafaix C *see* Malkin JE *et al*
Laga M *see* Vuylsteke B *et al*

Lappalainen M *see* Arvaja M *et al*
Lassalle R *see* Msellati P *et al*
Latif A *see* Gwanzura L *et al*
Leaity S *see* Sherr L *et al*
Léaune V *see* Brisson M *et al*
Leeming JP *see* Turner A *et al*
Lefort W *see* Sonnex C and Lefort W
Lehker MW, Sweeney D. Trichomonad invasion of the mucous layer requires adhesins, mucinases, and motility, **231**
Lehtinen M *see* Arvaja M *et al*
Leroy V *see* Msellati P *et al*
Leroy V *et al.* Cervical dysplasia and HIV type 1 infection in African pregnant women: a cross sectional study, Kigali, Rwanda, **103**
Levine WC *see* Ebrahim SH *et al*
Lignell T *see* Møller JK *et al*
Likikouët R *see* Msellati P *et al*
Lim WWL *see* Lo JYC *et al*
Limpakarnjanarat K *et al.* HIV-1 and other sexually transmitted infections in a cohort of female sex workers in Chiang Rai, Thailand, **30**
Lo JYC *et al.* Difference in seroprevalence of herpes simplex virus type 2 infection among antenatal women in Hong Kong and southern China, **123**
Loveday C *et al.* The use of HIV resistance assays—random or randomised?: *editorial*, **140**
Lyall EGH *see* Taylor GP *et al*
Lycova SG, Khryanin AA. Trends in the incidence of syphilis and gonorrhoea in Novosibirsk region, western Siberia: *letter*, **448**

McCormack S *see* Loveday C *et al*
McCormack WM *see* Zenilman JM *et al*
McGarrigle CA *see* Simms I *et al*
Machekano R *see* Gwanzura L *et al*
McIntyre J *see* Beksinska ME *et al*
McMillan A. The management of difficult anogenital warts, **192**
McSharry C *see* Yirrell DL *et al*
Maguire H *see* Harper R *et al*
see Hickman M *et al*
Maiga YI *see* Mulanga-Kabeya C *et al*
Maiti H, Al-Izzi M. When recurrent genital sores are not genital herpes, **58**
Malkin JE *et al.* Screening of *Chlamydia trachomatis* genital infection in a young Parisian population, **188**
Mandelbrot L *see* Msellati P *et al*
Marceillac E *see* Vanhems P *et al*
Marks C *et al.* Management of women with recurrent genital herpes in pregnancy in Australia, **55**
Martinez JB *see* Gaete MV *et al*
Martin IMC *see* Ison CA and Martin IMC
Martinez EZ *see* Derchain SFM *et al*
Mason PR *see* Gwanzura L *et al*
Mâsse BR *see* Brisson M *et al*
Mastro TD *see* Limpakarnjanarat K *et al*
Mastroianni A, Cancellieri C. Local treatment of a chronic leg ulcer with GM-CSF in a patient with HIV infection: *letter*, **203**
Matthews G, Pozniak AL. Opportunistic infections in the era of HAART: *editorial*, **214**
Meda N *see* Msellati P *et al*
Meheus A *see* Brugha R *et al*
see Leroy V *et al*
Mein J *see* Bowden FJ *et al*
Mein J *et al.* Intrapelvic donovanosis presenting as a psoas abscess in two patients: *letter*, **75**
Meljanac N *et al.* Superimposed primary chancre in a patient with Adamantiades-Behçet's disease, **124**
Mercey D *see* Sherr L *et al*
see Taylor GP *et al*
Miettinen A *see* Pasternack R *et al*
Miller DL *see* Piper MA *et al*
see Vernon SD *et al*
Miller RF *see* Day JH *et al*
see Howling SJ *et al*
Mindel A *see* Marks C *et al*
see Tideman R *et al*
see Wen LM *et al*
Mindel A, Tenant-Flowers M. Are STIs underreported in rural Australia?: *editorial*, **371**
Møller JK *et al.* Impact of menstrual cycle on the diagnostic performance of LCR, TMA, and PCE for detection of *Chlamydia trachomatis* in home obtained and mailed vaginal flush and urine samples, **228**
Morel E *see* Mulanga-Kabeya C *et al*
Morse SA *see* Limpakarnjanarat K *et al*
Morton RS *see* Rashid S and Morton RS
Moyle G *see* Ball JK *et al*
see Gazzard BG and Moyle G
Msellati P *et al.* Safety and acceptability of vaginal disinfection with benzalkonium chloride in HIV infected pregnant women in west Africa: ANRS 049b phase II randomised, double blinded placebo controlled trial, **420**
Mulanga-Kabeya C *et al.* Prevalence and risk assessment for sexually transmitted infections in pregnant women and female sex workers in Mali: is syndromic approach suitable for screening?, **358**
Mulder DW *see* Kamali A *et al*
Mullis D *see* Winter AJ *et al*
Mulvey G *see* Temple-Smith MJ *et al*
Murray PI *see* Rauz S and Murray PI
Mutimer D *see* Pillay D *et al*

Nabias R *see* Bertherat E *et al*
Nardone A *see* Sherr L *et al*
Narouz N *see* Jaleel H *et al*
Narouz N *et al.* Penile granuloma annulare, **186**
Navaratne L *see* Bradbeer C and Navaratne L
Nayagam A *see* Hickman M *et al*
Ndoye I *see* Mulanga-Kabeya C *et al*
Newell M-L *see* Taylor GP *et al*
Nicoll A *see* Simms I *et al*
Nieburg P *see* Limpakarnjanarat K *et al*
Nunn AJ *see* Kamali A *et al*
Nwokeji CM *see* Ozumba UC *et al*
Nyiraziraje M *see* Leroy V *et al*

Obunge OK *see* Ikimalo J *et al*
O'Farrell N. Increasing prevalence of genital herpes in developing countries: implications for heterosexual HIV transmission and STI control programmes, **377**
Okolo S *see* Bergenström A *et al*
see Bergenström A *et al*
Olesen F *see* Møller JK *et al*
O'Mahony C. Taking the sexual history, **361**
The grand round, **447**
Treatment of non-specific urethritis should be 2 weeks, not 1: *letter*, **449**
Oshi DC *see* Ozumba UC *et al*

Østergaard L *see* Møller JK *et al*

Ouangre A *see* Msellati P *et al*
Özek B *see* Hodoglugil NNS *et al*
Ozumba UC *et al.* Trends in seroreactivity for syphilis among pregnant Nigerian women, **120**

Paavonen J *see* Arvaja M *et al*
Paavonen J. Sexual dysfunction associated with treatment of cervical cancer: *editorial*, **375**
Pasternack R *et al.* Follow up of treatment: an integral part of the control of *Chlamydia trachomatis* infections: *letter*, **76**
Patel R *et al.* Impact of suppressive antiviral therapy on the health related quality of life of patients with recurrent genital herpes infection, **398**
Paterson BA *see* Bowden FJ *et al*
Patrel D *see* Mulanga-Kabeya C *et al*
Pattman RS. Recalcitrant vaginal trichomoniasis, **127**
Pearce JH *see* Shahmanesh M *et al*
Piercy H *see* Kellock DJ *et al*
Pillay D *see* Ball JK *et al*
see Winter AJ *et al*
Pillay D *et al.* Is nucleoside analogue monotherapy sufficient for treatment of HBV infection? Lessons from HIV: *editorial*, **87**
Pinto JM *see* Gaete MV *et al*
Piper MA *see* Vernon SD *et al*
Piper MA *et al.* Association of human papillomavirus with HIV and CD4 cell count in women with high or low numbers of sex partners, **253**
Porter-Boveri KAM. Training and continued medical education for postgraduates: *letter*, **133**
Powell P *see* Ahmad S and Powell P
Power L *see* Winter AJ *et al*
Pozniak AL *see* Matthews G and Pozniak AL
Prado VE *see* Gaete MV *et al*
Prazuck T *see* Malkin JE *et al*
Price MJ *see* Patel R *et al*

Radcliffe KW *see* Ross JDC *et al*
see Winter AJ *et al*
Raeside F *see* Yirrell DL *et al*
Rashid S, Morton RS. Contact tracing: *letter*, **77**
Rauz S, Murray PI. Changing patterns of HIV related ocular disease: *review*, **18**
Reed TAG. Tertiary syphilis: *letter*, **75**
Reedijk M *et al.* Late presentation of HIV infected patients at Amsterdam outpatient HIV clinics: *letter*, **448**
Positive attitude towards antiretroviral therapy after 6 months of treatment in a sample of Dutch HIV infected people: *letter*, **204**
Rees HV *see* Beksinska ME *et al*
Reeves WC *see* Piper MA *et al*
see Vernon SD *et al*
Renaut A *see* Bertherat E *et al*
Renton A *see* Birley H and Renton A
see Brugha R *et al*
see Hickman M *et al*

Riley VC *see* Bhaduri S and Riley VC
Rimmer C *see* Horn K *et al*
Robinson S *see* Chen F *et al*
Rogers JH *see* Ward AM *et al*
Rogers P *see* Simms I *et al*
Rogstad KE *see* Kellock DJ *et al*
Rogstad KE *et al.* Cardiovascular autonomic neuropathy in HIV infected patients, **264**
Ross JDC *see* Gill MJ and Ross JDC
see Goodfellow A *et al*
see Winter AJ *et al*
Ross JDC *et al.* Do the factors associated with successful contact tracing of patients with gonorrhoea and chlamydia differ?, **112**
Roteli-Martins CM *see* Derchain SFM *et al*
Rowe T *see* Ball JK *et al*
Rowland-Jones S. The role of chemokine receptors in HIV infection: *review*, **148**
Russell C *see* Mein J *et al*

Sadler T *see* Bottomley CPEH *et al*
Saint-Marc T *see* Vanhems P *et al*
Saisorn S *see* Limpakarnjanarat K *et al*
Sarma AV *et al.* Epidemiology of vulvar vestibulitis syndrome: an exploratory case-control study, **320**
Savage J *see* Bowden FJ *et al*
Schmid DS *see* Limpakarnjanarat K *et al*
Scott GR *see* Horn K *et al*
Scoular A, Kinghorn G. British Co-operative Clinical Group national survey on diagnostic issues surrounding genital herpes, **403**
Selvaag E. No differences in the prevalence of venereological disease in Norwegians compared with non-Norwegians, **68**
Severin ST *see* Piper MA *et al*
see Vernon SD *et al*
Shah R *see* Rogstad KE *et al*
Shahmanesh M. An ombudsman for more transparent refereeing: *editorial*, **287**
Anniversary year: *editorial*, **89**
Shahmanesh M *et al.* Peripheral blood T cell proliferative response to chlamydial organisms in gonococcal and non-gonococcal urethritis and presumed pelvic inflammatory disease, **327**
Shaw PJ *see* Howling SJ *et al*
Sherr L *see* Bergenström A *et al*
Sherr L *et al.* "Try this HIV test"—an evaluation of a mass media campaign targeting homosexual men: *letter*, **273**
Simms I *et al.* Trends in undiagnosed HIV-1 infection among attenders at genitourinary medicine clinics, England, Wales, and Northern Ireland: 1990–6, **332**
Simpson JM *see* Tideman R *et al*
see Wen LM *et al*
Simpson-Dent SL *et al.* HIV associated eosinophilic folliculitis—differential diagnosis and management, **291**
Singh A *see* Thappa DM *et al*
Singh S *see* Thappa DM *et al*
Slack RCB *see* James NJ *et al*
Smikle M *see* Dowe G *et al*
Smith R *see* Taylor GP *et al*
Sobel JD *see* Sarma AV *et al*
Song B *see* Fang XF *et al*
Sonnex C, Lefort W. Microscopic features of vaginal candidiasis and their relation to symptomatology, **417**
Sonnex C *et al.* Detection of human papillomavirus DNA on the fingers of patients with genital warts, **317**
Sontag G *see* Ball JK *et al*
Standley T *see* Goodfellow A *et al*
Stanley B. Oral sex and the transmission of non-viral STIs: *letter*, **77**
Staughton RCD *see* Simpson-Dent SL *et al*
Steingrímsson Ó *see* Thormar H *et al*
Stephenson JM. Evaluation of behavioural interventions in HIV/STI prevention: *continuing medical education*, **69**
Strand A *see* Patel R *et al*
Strauss S *see* Sonnex C *et al*
Sukthankar A *see* Ross JDC *et al*
see Shahmanesh M *et al*
Sunderland D *see* Bhattacharjee B *et al*
Swan AV *see* Winter AJ *et al*
Sweeney D *see* Lehker MW and Sweeney D
Sylla-Koko F *see* Msellati P *et al*
Syrjänen KJ *see* Derchain SFM *et al*

Tabrizi SN *see* Bowden FJ *et al*
Talbot M. Monetary incentives in research and participation in HIV/STD risk reduction programmes: *editorial*, **1**
Tang A *see* Eggleton S and Tang A
Taylor GP *et al.* British HIV Association guidelines for prescribing antiretroviral therapy in pregnancy (1998), **90**
Taylor S *see* Winter AJ *et al*
Temple-Smith MJ *et al.* Attitudes to taking a sexual history in general practice in Victoria, Australia, **41**
Tenant-Flowers M *see* Mindel A and Tenant-Flowers M
Tesfaladet G *see* Rogstad KE *et al*
Thappa DM *et al.* HIV infection and sexually transmitted diseases in a referral STD centre in south India, **191**
Thompson C. Concurrent STIs in women referred to a GUM clinic with chlamydial infection: *letter*, **131**
Thormar H *et al.* Hydrogels containing monocaprin have potent microbicidal activities against sexually transmitted viruses and bacteria in vitro, **181**
Tideman R *et al.* Young working women utilise the after hours service at Sydney Sexual Health Centre, **344**
Tilston P *see* Lacey HB *et al*
Tong JZ *see* Fang XF *et al*
Tu YY *see* Fang XF *et al*
Tudor-Williams G *see* Taylor GP *et al*
Turner A *et al.* Molecular epidemiology of *tet*M genes in *Neisseria gonorrhoeae* , **60**
Tyring S *see* Patel R *et al*

Unger ER *see* Piper MA *et al*
see Vernon SD *et al*
Urrejola P *see* Gaete MV *et al*
Uthaivoravit W *see* Limpakarnjanarat K *et al*

Vandenbruaene M *see* Vuylsteke B *et al*
Vandenbulcke P *see* Vuylsteke B *et al*
Van de Perre P *see* Msellati P *et al*
Van Dyck E *see* Kamali A *et al*
see Vuylsteke B *et al*
Vanhems P *et al.* Factors associated with the time elapsed between the initial detection of HIV-1 antibodies and a diagnosis of AIDS among patients followed in Lyons University Hospitals, **389**
Van Ranst M *see* Bogaerts J *et al*
van Valkengoed IGM, Boeke AJP. *Chlamydia trachomatis* prevalence and sexual behaviour among female adolescents in Belgium: *letter*, **363**
Varotti C *see* D'Antuono A *et al*
Verhaegen J *see* Bogaerts J *et al*
Vernon SD *see* Piper MA *et al*
Vernon SD *et al.* HIV and human papillomavirus as independent risk factors for cervical neoplasia in women with high or low numbers of sex partners, **258**
Vesikari T *see* Arvaja M *et al*
Vuorinen P *see* Pasternack R *et al*
Vuylsteke B *et al. Chlamydia trachomatis* prevalence and sexual behaviour among female adolescents in Belgium, **152**

Wade AAH *see* Jaleel H *et al*
see Jaleel H *et al*
Wade AH *see* Narouz N *et al*
Waldron S *see* Chen F *et al*
Ward AM *et al. Chlamydia trachomatis* infection mimicking testicular malignancy in a young man, **270**
Ward H *see* Hickman M *et al*
Ward H. Evaluating outreach clinics—are we asking too much?: *editorial*, **146**
New technologies, old challenges?: *editorial*, **88**
Ward H *et al.* Risky business: health and safety in the sex industry over a 9 year period, **340**
Wasserheit JN *see* Fleming DT and Wasserheit JN
Waugh MA. View from the WHO, **72**
Weber J *see* Ward H *et al*
Welch J *see* Bottomley CPEH *et al*
Welffens-Ekra C *see* Msellati P *et al*
Wells H *see* Sherr L *et al*
Wen LM *et al.* Risk factors for the acquisition of genital warts: are condoms protective?, **312**
Weniger BG *see* Limpakarnjanarat K *et al*
White D *see* Winter AJ *et al*
White PJ, Garnett GP. Use of antiviral treatment and prophylaxis is unlikely to have a major impact on the prevalence of herpes simplex virus type 2, **49**
Whitelaw J *see* Yirrell DL *et al*
Whitworth JAG *see* Kamali A *et al*
Wigersma L *see* Reedijk M *et al*
see Reedijk M *et al*
Wiktor SZ *see* Piper MA *et al*
see Vernon SD *et al*
Wilkins EGL *see* Lacey HB *et al*
Wilkinson D. Public-private health sector partnerships for STD control in developing countries: perspectives from experience in rural South Africa : *editorial*, **285**
Williams IG *see* Day JH *et al*
Williams R *see* Bradby H and Williams R
Wilson GE *see* Lacey HB *et al*
Wilson JD *et al.* HIV protease inhibitors, the lipodystrophy syndrome and polycystic ovary syndrome—is there a link?, **268**
Winceslaus J *et al.* Sexually transmitted diseases and communications with general practitioners, **45**
Winter AJ *et al.* Asymptomatic urethritis and detection of HIV-1 RNA in seminal plasma, **261**
Is partner notification in the public interest?, **354**
Witvrouw M *see* Thormar H *et al*
Workman J *see* Winter AJ *et al*

Wynter H *see* Dowe G *et al*

Yirrell DL *et al*. Viral subtype and heterosexual acquisition of HIV infections diagnosed in Scotland, **392**
Youle M *see* Ball JK *et al*
Young NL *see* Limpakarnjanarat K *et al*

Zaidi AA *see* Ebrahim SH *et al*
Zaunders J *see* Kaufmann GR *et al*
Zenilman JM *et al*. Bacterial vaginosis is not associated with circumcision status of the current male partner, **347**
Zouboulis CC *see* Meljanac N *et al*
Zumla A *see* Day JH *et al*
Zwi AB *see* Brugha R and Zwi AB

VOLUME 75 • SUBJECT INDEX

adhesins, Trichomonad invasion of the mucous layer requires adhesins, mucinases, and motility, **231**
adolescence, Prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* in Chilean asymptomatic adolescent males determined by urine sample, **67**
adrenal suppression, Cushing's syndrome and severe adrenal suppression in patients treated with ritonavir and inhaled nasal fluticasone: *letter,* **274**
adult victims, National guideline for the management of adult victims of sexual assault, **S82**
adults, Impact of HIV on adult (15–54) mortality in London: 1979–96, **385**
Africa, Cardiovascular autonomic neuropathy in HIV infected patients, **264**
Cervical dysplasia and HIV type 1 infection in African pregnant women: a cross sectional study, Kigali, Rwanda, **103**
Genital ulcer disease in Africa: many pieces are still missing from the puzzle: *editorial,* **85**
Increasing prevalence of genital herpes in developing countries: implications for heterosexual HIV transmission and STI control programmes, **377**
Safety and acceptability of vaginal disinfection with benzalkonium chloride in HIV infected pregnant women in west Africa: ANRS 049b phase II randomised, double blinded placebo controlled trial, **420**
The practice and prevalence of dry sex among men and women in South Africa: a risk factor for sexually transmitted infections?, **178**
after hours service, Young working women utilise the after hours service at Sydney Sexual Health Centre, **344**
AIDS, Acute pulmonary embolism in patients with HIV disease, **25**
Cardiovascular autonomic neuropathy in HIV infected patients, **264**
Local treatment of a chronic leg ulcer with GM-CSF in a patient with HIV infection: *letter,* **203**
Opportunistic infections in the era of HAART: *editorial,* **214**
Sexually transmitted infections and AIDS in the tropics: *letter,* **362**
Survival and progression of HIV disease in women attending GUM/HIV clinics in Britain and Ireland, **247**
The AIDS diagnosis—down but certainly not out: *editorial,* **213**
AIDS diagnosis, Factors associated with the time elapsed between the initial detection of HIV-1 antibodies and a diagnosis of AIDS among patients followed in Lyons University Hospitals, **389**
Amsterdam, Late presentation of HIV infected patients at Amsterdam outpatient HIV clinics: *letter,* **448**
anal intraepithelial neoplasia, A study of anal intraepithelial neoplasia in HIV positive homosexual men, **172**
angiography, Acute pulmonary embolism in patients with HIV disease, **25**
anogenital warts, Management of difficult anogenital warts: *letter,* **449**
National guideline for the management of anogenital warts, **S71**
The management of difficult anogenital warts, **192**
antibiotic resistance, Susceptibility of gonococci isolated in London to therapeutic antibiotics: establishment of a London surveillance programme, **107**
antiretroviral therapy, British HIV Association guidelines for prescribing antiretroviral therapy in pregnancy (1998), **90**
Positive attitude towards antiretroviral therapy after 6 months of treatment in a sample of Dutch HIV infected people: *letter,* **204**
antiviral therapy, Use of antiviral treatment and prophylaxis is unlikely to have a major impact on the prevalence of herpes simplex virus type 2, **49**
Australia, Are STIs underreported in rural Australia?: *editorial,* **371**
Estimating the prevalence of *Trichomonas vaginalis, Chlamydia trachomatis, Neisseria gonorrhoeae,* and human papillomavirus infection in indigenous women in northern Australia, **431**
Management of women with recurrent genital herpes in pregnancy in Australia, **55**
autonomic neuropathy, Cardiovascular autonomic neuropathy in HIV infected patients, **264**

bacterial vaginosis, Bacterial vaginosis is not associated with circumcision status of the current male partner, **347**
National guideline on the management of bacterial vaginosis, **S16**
Scanning electron microscopy of endometrial biopsies of patients with bacterial vaginosis shows morphology resembling mycoplasma/ureaplasma organisms: *letter,* **202**
balanitis, National guideline for the management of balanitis, **S85**
behaviour, Evaluation of behavioural interventions in HIV/STI prevention: *continuing medical education,* **69**
Behçet's disease, Superimposed primary chancre in a patient with Adamantiades-Behçet's disease, **124**
Belgium, *Chlamydia trachomatis* prevalence and sexual behaviour among female adolescents in Belgium: *letter,* **363**
Chlamydia trachomatis prevalence and sexual behaviour among female adolescents in Belgium, **152**
BHIVA, British HIV Association guidelines for prescribing antiretroviral therapy in pregnancy (1998), **90**
biliary atresia, Biliary atresia in an infant born to an HIV positive mother: *letter,* **448**
Bristol, After Bristol—how should genitourinary medicine respond?: *editorial,* **144**
British Asian, Behaviours and expectations in relation to sexual intercourse among 18–20 year old Asians and non-Asians, **162**

Candida, Microscopic features of vaginal candidiasis and their relation to symptomatology, **417**
candidiasis, What to do with the patient with recurrent vulvovaginal candidiasis, **225**
CD4 count, Association of human papillomavirus with HIV and CD4 cell count in women with high or low numbers of sex partners, **253**
central Asia, View from the WHO, **72**
central Europe, View from the WHO, **72**
cervical cancer, Sexual dysfunction associated with treatment of cervical cancer: *editorial,* **375**
cervical cytology, Cervical cytology: are national guidelines adequate for women attending genitourinary medicine clinics?, **349**
cervical dysplasia, Cervical dysplasia and HIV type 1 infection in African pregnant women: a cross sectional study, Kigali, Rwanda, **103**
cervical intraepithelial neoplasia, Association of oncogenic human papillomavirus DNA with high grade cervical intraepithelial neoplasia: the role of cigarette smoking, **406**
cervical neoplasia, HIV and human papillomavirus as independent risk factors for cervical neoplasia in women with high or low numbers of sex partners, **258**
cervical screening, Cervical screening in genitourinary medicine clinics—what are we trying to achieve?: *editorial,* **286**
cervicitis, Sexually transmitted infections in a basic healthcare clinic in Dhaka, Bangladesh: syndromic management for cervicitis is not justified, **437**
chancroid, National guideline for the management of chancroid, **S43**
chemokine receptors, The role of chemokine receptors in HIV infection: *review,* **148**
chemokines, Immune reconstitution in HIV-1 infected subjects treated with potent antiretroviral therapy: *review,* **218**
China, Difference in seroprevalence of herpes simplex virus type 2 infection among antenatal women in Hong Kong and southern China, **123**
chlamydia, A collaborative approach to management of chlamydial infection among teenagers seeking contraceptive care in a community setting, **156**
Do the factors associated with successful contact tracing of patients with gonorrhoea and chlamydia differ?, **112**
Pathogenesis of chlamydia induced pelvic inflammatory disease: *review,* **21**
Chlamydia trachomatis, A social science perspective on screening for *Chlamydia trachomatis*, **239**
Chlamydia trachomatis infection mimicking testicular malignancy in a young man, **270**
Follow up of treatment: an integral part of the control of *Chlamydia trachomatis* infections: *letter,* **76**
High prevalence of genital *Chlamydia trachomatis* infection in women presenting in different clinical settings in Jamaica: implications for control strategies, **412**
Impact of menstrual cycle on the diagnostic performance of LCR, TMA, and PCE for detection of *Chlamydia trachomatis* in home obtained and mailed vaginal flush and urine samples, **228**
Chlamydia trachomatis prevalence and sexual behaviour among female adolescents in Belgium: *letter,* **363**
Knowledge of *Chlamydia trachomatis* genital infection and its consequences in people attending a genitourinary medicine clinic, **409**
Knowledge of *Chlamydia trachomatis* infection in genitourinary medicine clinic attenders, **36**
Chlamydia trachomatis prevalence and sexual behaviour among female adolescents in Belgium, **152**
National guideline for the management of *Chlamydia trachomatis* genital tract infection, **S4**
Peripheral blood T cell proliferative response to chlamydial organisms in gonococcal and non-gonococcal urethritis and presumed pelvic inflammatory disease, **327**
Prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* in Chilean asymptomatic adolescent males determined by urine sample, **67**
Screening of *Chlamydia trachomatis* genital infection in a young Parisian population, **188**
chlamydial infections, Concurrent STIs in women referred to a GUM clinic with chlamydial infection: *letter,* **131**
circumcision, Bacterial vaginosis is not associated with circumcision status of the current male partner, **347**
clinical governance, After Bristol—how should genitourinary medicine respond?: *editorial,* **144**

clinics, Young working women utilise the after hours service at Sydney Sexual Health Centre, **344**
cohort study, Survival and progression of HIV disease in women attending GUM/HIV clinics in Britain and Ireland, **247**
combination therapy, Poor reduction of HIV-1 RNA titres in nucleoside reverse transcriptase inhibitor experienced patients treated with indinavir combination therapy, **337**
communication, Sexually transmitted diseases and communications with general practitioners, **45**
condoms, Risk factors for the acquisition of genital warts: are condoms protective?, **312**
Risky business: health and safety in the sex industry over a 9 year period, **340**
Conference news, Conference news, **294**
contact tracing, Contact tracing: *letter,* **76**
Contact tracing: *letter,* **77**
Contact tracing—is this the way to go?: *letter,* **130**
Do the factors associated with successful contact tracing of patients with gonorrhoea and chlamydia differ?, **112**
continued medical education, Training and continued medical education for postgraduates: *letter,* **133**
contraception, Contraceptive needs of women: *letter,* **131**
core groups, Do the factors associated with successful contact tracing of patients with gonorrhoea and chlamydia differ?, **112**
Cushing's syndrome, Cushing's syndrome and severe adrenal suppression in patients treated with ritonavir and inhaled nasal fluticasone: *letter,* **274**
cytokines, Immune reconstitution in HIV-1 infected subjects treated with potent antiretroviral therapy: *review,* **218**
cytomegalovirus, Changing patterns of HIV related ocular disease, **18**
Changing patterns of HIV related ocular disease: *review,* **18**

developing countries, Sexually transmitted disease control in developing countries: the challenge of involving the private sector : *editorial,* **283**
Increasing prevalence of genital herpes in developing countries: implications for heterosexual HIV transmission and STI control programmes, **377**
DNA sequencing, Viral subtype and heterosexual acquisition of HIV infections diagnosed in Scotland, **392**
Dominican Republic, Dry sex practices and HIV infection in the Dominican Republic and Haiti: *for debate,* **445**
donovanosis, Intrapelvic donovanosis presenting as a psoas abscess in two patients: *letter,* **75**
National guideline for the management of donovanosis (granuloma inguinale), **S38**
drug abuse, Syphilis, gonorrhoea, and drug abuse among pregnant women in Jefferson County, Alabama, US, 1980–94: monitoring trends through systematically collected health services data, **300**
dry sex practice, Dry sex practices and HIV infection in the Dominican Republic and Haiti: *for debate,* **445**
The practice and prevalence of dry sex among men and women in South Africa: a risk factor for sexually transmitted infections?, **178**

elderly people, Sexually transmitted infections in elderly people: *letter,* **449**
Sexually transmitted infections in the elderly: *letter,* **131**
endometrial biopsies, Scanning electron microscopy of endometrial biopsies of patients with bacterial vaginosis shows morphology resembling mycoplasma/ureaplasma organisms: *letter,* **202**
England, Trends in undiagnosed HIV-1 infection among attenders at genitourinary medicine clinics, England, Wales, and Northern Ireland: 1990–6, **332**
eosinophilic folliculitis, HIV associated eosinophilic folliculitis—differential diagnosis and management, **291**
epidemiology, Do the factors associated with successful contact tracing of patients with gonorrhoea and chlamydia differ?, **112**
From epidemiological synergy to public health policy and practice: the contribution of other sexually transmitted diseases to sexual transmission of HIV infection: *review,* **3**
Molecular epidemiology of *tet*M genes in *Neisseria gonorrhoeae* , **60**
No differences in the prevalence of venereological disease in Norwegians compared with non-Norwegians, **68**
Screening of *Chlamydia trachomatis* genital infection in a young Parisian population, **188**
epididymitis, *Chlamydia trachomatis* infection mimicking testicular malignancy in a young man, **270**
epididymo-orchitis, National guideline for the management of epididymo-orchitis, **S51**
ethnic group, Survival and progression of HIV disease in women attending GUM/HIV clinics in Britain and Ireland, **247**
ethnicity, Behaviours and expectations in relation to sexual intercourse among 18–20 year old Asians and non-Asians, **162**
No differences in the prevalence of venereological disease in Norwegians compared with non-Norwegians, **68**

family planning, Prevalence of reproductive tract infections in family planning clients in Trabzon, Turkey, **360**
family planning clinics, High prevalence of genital *Chlamydia trachomatis* infection in women presenting in different clinical settings in Jamaica: implications for control strategies, **412**
HIV testing and prevention: family planning clinic attenders in London: *letter,* **130**
female adolescents, *Chlamydia trachomatis* prevalence and sexual behaviour among female adolescents in Belgium: *letter,* **363**
Chlamydia trachomatis prevalence and sexual behaviour among female adolescents in Belgium, **152**
female sex workers, Prevalence and risk assessment for sexually transmitted infections in pregnant women and female sex workers in Mali: is syndromic approach suitable for screening?, **358**
fingers, Detection of human papillomavirus DNA on the fingers of patients with genital warts, **317**
fluticasone, Cushing's syndrome and severe adrenal suppression in patients treated with ritonavir and inhaled nasal fluticasone: *letter,* **274**

general practitioners, Attitudes to taking a sexual history in general practice in Victoria, Australia, **41**
Sexually transmitted diseases and communications with general practitioners, **45**
Sexually transmitted diseases and communications with general practitioners: *letter,* **204**
genital herpes, British Co-operative Clinical Group national survey on diagnostic issues surrounding genital herpes, **403**
Impact of suppressive antiviral therapy on the health related quality of life of patients with recurrent genital herpes infection, **398**
Increasing prevalence of genital herpes in developing countries: implications for heterosexual HIV transmission and STI control programmes, **377**
Management of women with recurrent genital herpes in pregnancy in Australia, **55**
National guideline for the management of genital herpes, **S24**
Rapid detection of glycoprotein G gene for the diagnosis and typing of herpes simplex virus infection in genital herpes, **396**
When recurrent genital sores are not genital herpes, **58**
genital sores, When recurrent genital sores are not genital herpes, **58**
genital symptoms, Microscopic features of vaginal candidiasis and their relation to symptomatology, **417**
genital tract infection, National guideline for the management of *Chlamydia trachomatis* genital tract infection, **1**
genital ulcer disease, Genital ulcer disease in Africa: many pieces are still missing from the puzzle: *editorial,* **85**
genital ulcers, Increasing prevalence of genital herpes in developing countries: implications for heterosexual HIV transmission and STI control programmes, **377**
Seroprevalence and incidence of genital ulcer infections in a rural Ugandan population, **98**
genital warts, Detection of human papillomavirus DNA on the fingers of patients with genital warts, **317**
Risk factors for the acquisition of genital warts: are condoms protective?, **312**
genitourinary medicine, After Bristol—how should genitourinary medicine respond?: *editorial,* **144**
Knowledge of *Chlamydia trachomatis* genital infection and its consequences in people attending a genitourinary medicine clinic, **409**
genitourinary medicine clinics, Cervical screening in genitourinary medicine clinics—what are we trying to achieve?: *editorial,* **286**
Concurrent STIs in women referred to a GUM clinic with chlamydial infection: *letter,* **131**
Contraceptive needs of women: *letter,* **131**
Incidence of gonorrhoea diagnosed in GUM clinics in South Thames (West) Region, **306**
Knowledge of *Chlamydia trachomatis* infection in genitourinary medicine clinic attenders, **36**
genotyping, Role of bacterial typing in genitourinary medicine: *editorial,* **211**
Viral subtype and heterosexual acquisition of HIV infections diagnosed in Scotland, **392**
glycoprotein gG, Serological evaluation of herpes simplex virus type 1 and type 2 infections in pregnancy, **168**
gonorrhoea, Do the factors associated with successful contact tracing of patients with gonorrhoea and chlamydia differ?, **112**
Incidence of gonorrhoea diagnosed in GUM clinics in South Thames (West) Region, **306**
National guideline for the management of gonorrhoea in adults, **S13**
Predicting penicillin resistance in patients with gonorrhoea, **190**
Susceptibility of gonococci isolated in London to therapeutic antibiotics: establishment of a London surveillance programme, **107**
Trends in the incidence of syphilis and gonorrhoea in Novosibirsk region, western Siberia: *letter,* **448**
grand round, The grand round, **447**
granulocyte monocyte-colony stimulating factor, Local treatment of a chronic leg ulcer with GM-CSF in a patient with HIV infection: *letter,* **203**
granuloma inguinale, National guideline for the management of donovanosis (granuloma inguinale), **35**
growth factors, Local treatment of a chronic leg ulcer with GM-CSF in a patient with HIV infection: *letter,* **203**
guidelines, British HIV Association guidelines for prescribing antiretroviral therapy in pregnancy (1998), **90**
National guideline for the management of adult victims of sexual assault, **S82**

National guideline for the management of anogenital warts, **S71**
National guideline for the management of bacterial vaginosis, **S16**
National guideline for the management of balanitis, **S85**
National guideline for the management of chancroid, **S43**
National guideline for the management of *Chlamydia trachomatis* genital tract infection, **S4**
National guideline for the management of donovanosis (granuloma inguinale), **S38**
National guideline for the management of early syphilis, **S29**
National guideline for the management of epididymo-orchitis, **S51**
National guideline for the management of genital herpes, **S24**
National guideline for the management of gonorrhoea in adults, **S13**
National guideline for the management of late syphilis, **S34**
National guideline for the management of lymphogranuloma venereum, **S40**
National guideline for the management of molluscum contagiosum, **S80**
National guideline for the management of non-gonococcal urethritis, **S9**
National guideline for the management of pelvic infection and perihepatitis, **S54**
National guideline for the management of *Phthirus pubis* infestation, **S78**
National guideline for the management of prostatitis, **S46**
National guideline for the management of scabies, **S76**
National guideline for the management of sexually acquired reactive arthritis, **S63**
National guideline for the management of *Trichomonas vaginalis*, **S21**
National guideline for the management of vulvovaginal candidiasis, **S19**
National guideline for the management of the viral hepatitides A, B, and C, **S57**

gynaecology clinic, High prevalence of genital *Chlamydia trachomatis* infection in women presenting in different clinical settings in Jamaica: implications for control strategies, **412**

HAART, Immune reconstitution in HIV-1 infected subjects treated with potent antiretroviral therapy: *review*, **218**
Opportunistic infections in the era of HAART: *editorial*, **214**

haematospermia, Haematospermia associated with malignant hypertension, **200**

Haiti, Dry sex practices and HIV infection in the Dominican Republic and Haiti: *for debate*, **445**

health and safety, Risky business: health and safety in the sex industry over a 9 year period, **340**

health services, Attitudes to taking a sexual history in general practice in Victoria, Australia, **41**

hepatitis A, HIV seroconversion illness following acute hepatitis A: *letter*, **133**
National guideline for the management of the viral hepatitides A, B, and C, **S57**

hepatitis B, National guideline for the management of the viral hepatitides A, B, and C, **S57**
Seroprevalence of HIV, hepatitis B, and syphilis in an urban population and isolated villages in Gabon, **271**

hepatitis B virus, Is nucleoside analogue monotherapy sufficient for treatment of HBV infection? Lessons from HIV: *editorial*, **87**

hepatitis C, National guideline for the management of the viral hepatitides A, B, and C, **S57**

herpes simplex virus, British Co-operative Clinical Group national survey on diagnostic issues surrounding genital herpes, **403**
Difference in seroprevalence of herpes simplex virus type 2 infection among antenatal women in Hong Kong and southern China, **123**
Rapid detection of glycoprotein G gene for the diagnosis and typing of herpes simplex virus infection in genital herpes, **396**
Recurrent urogenital herpes simplex—successful treatment with imiquimod?: *letter*, **132**
Serological evaluation of herpes simplex virus type 1 and type 2 infections in pregnancy, **168**
Should we be screening for asymptomatic HSV infections?: *editorial*, **142**

herpes simplex virus type 2, Use of antiviral treatment and prophylaxis is unlikely to have a major impact on the prevalence of herpes simplex virus type 2, **49**

heterosexual population, Highlights of the sexual activity of the heterosexual population in the province of Quebec, **296**

heterosexual transmission, Viral subtype and heterosexual acquisition of HIV infections diagnosed in Scotland, **392**

HIV, A study of anal intraepithelial neoplasia in HIV positive homosexual men, **172**
Acute pulmonary embolism in patients with HIV disease, **25**
Association of human papillomavirus with HIV and CD4 cell count in women with high or low numbers of sex partners, **253**
Avoiding HIV transmission: women need more options: *editorial*, **374**
Biliary atresia in an infant born to an HIV positive mother: *letter*, **448**
Cardiovascular autonomic neuropathy in HIV infected patients, **264**
Changing patterns of HIV related ocular disease, **18**
Changing patterns of HIV related ocular disease: *review*, **18**
Commentary: Resistance testing—a clinical perspective: *editorial*, **141**
Dry sex practices and HIV infection in the Dominican Republic and Haiti: *for debate*, **445**
From epidemiological synergy to public health policy and practice: the contribution of other sexually transmitted diseases to sexual transmission of HIV infection: *review*, **3**
HIV and human papillomavirus as independent risk factors for cervical neoplasia in women with high or low numbers of sex partners, **258**
HIV associated eosinophilic folliculitis—differential diagnosis and management, **291**
HIV infection and sexually transmitted diseases in a referral STD centre in south India, **191**
HIV prevention and homosexual men: should we be optimistic about the new millennium?: *editorial*, **369**
HIV protease inhibitors, the lipodystrophy syndrome and polycystic ovary syndrome—is there a link?, **268**
HIV seroconversion illness following acute hepatitis A: *letter*, **133**
HIV-1 and other sexually transmitted infections in a cohort of female sex workers in Chiang Rai, Thailand, **30**
Homosexual men's HIV related sexual risk behaviour in Scotland, **242**
Immune reconstitution in HIV-1 infected subjects treated with potent antiretroviral therapy: *review*, **218**
Impact of HIV on adult (15–54) mortality in London: 1979–96, **385**
Increasing prevalence of genital herpes in developing countries: implications for heterosexual HIV transmission and STI control programmes, **377**
Influenza myositis and rhabdomyolysis in an HIV positive man: was zidovudine a co-factor?: *letter*, **204**
Integrated clinical service for sexual assault victims in a genitourinary setting, **116**
Is nucleoside analogue monotherapy sufficient for treatment of HBV infection? Lessons from HIV: *editorial*, **87**
Is partner notification in the public interest?, **354**
Late presentation of HIV infected patients at Amsterdam outpatient HIV clinics: *letter*, **448**
Opportunistic infections in the era of HAART: *editorial*, **214**
Positive attitude towards antiretroviral therapy after 6 months of treatment in a sample of Dutch HIV infected people: *letter*, **204**
Prevalence of STDs and HIV infection among immigrant sex workers attending an STD centre in Bologna, Italy: *letter*, **273**
Protection from *Pneumocystis carinii* pneumonia: *letter*, **202**
Seroprevalence of HIV, hepatitis B, and syphilis in an urban population and isolated villages in Gabon, **271**
Syphilis serology and HIV infection in Harare, Zimbabwe, **426**
The use of HIV resistance assays—random or randomised?: *editorial*, **140**
"Try this HIV test"—an evaluation of a mass media campaign targeting homosexual men: *letter*, **273**

HIV epidemic, South Africa: host to a new and emerging HIV epidemic: *editorial*, **139**

HIV infection, Factors associated with the time elapsed between the initial detection of HIV-1 antibodies and a diagnosis of AIDS among patients followed in Lyons University Hospitals, **389**
Screening for sexually transmitted disease and HIV infection in termination of pregnancy services: a survey in South Thames region: *letter*, **203**
Survival and progression of HIV disease in women attending GUM/HIV clinics in Britain and Ireland, **247**
The role of chemokine receptors in HIV infection: *review*, **148**

HIV prevention, From Mwanza and Rakai to Beijing and Moscow? STD control and HIV prevention: *editorial*, **83**
HIV testing and prevention: family planning clinic attenders in London: *letter*, **130**

HIV seroprevalence, Trends in undiagnosed HIV-1 infection among attenders at genitourinary medicine clinics, England, Wales, and Northern Ireland: 1990–6, **332**

HIV testing, HIV testing and prevention: family planning clinic attenders in London: *letter*, **130**

HIV transmission, Asymptomatic urethritis and detection of HIV-1 RNA in seminal plasma, **261**

HIV-1, Poor reduction of HIV-1 RNA titres in nucleoside reverse transcriptase inhibitor experienced patients treated with indinavir combination therapy, **337**
Seroprevalence and incidence of genital ulcer infections in a rural Ugandan population, **98**

HIV-1 infection, Cervical dysplasia and HIV type 1 infection in African pregnant women: a cross sectional study, Kigali, Rwanda, **103**

HIV-1 subtypes, Viral subtype and heterosexual acquisition of HIV infections diagnosed in Scotland, **392**

HIV/STD, Monetary incentives in research and participation in HIV/STD risk reduction programmes: *editorial*, **1**

HIV/STI prevention, Evaluation of behavioural interventions in HIV/STI prevention: *continuing medical education*, **69**

homosexual men, HIV prevention and homosexual men: should we be optimistic about the new millennium?: *editorial*, **369**
Homosexual men's HIV related sexual risk behaviour in Scotland, **242**
"Try this HIV test"—an evaluation of a mass media campaign targeting homosexual men: *letter*, **273**

human papillomavirus, A study of anal intraepithelial neoplasia in HIV positive homosexual men, **172**
Association of human papillomavirus with HIV and CD4 cell count in women with high or low numbers of sex partners, **253**
Association of oncogenic human papillomavirus DNA with high grade cervical intraepithelial neoplasia: the role of cigarette smoking, **406**
Detection of human papillomavirus DNA on the fingers of patients with genital warts, **317**
HIV and human papillomavirus as independent risk factors for cervical neoplasia in women with high or low numbers of sex partners, **258**
The management of difficult anogenital warts, **192**
humans, The evolution of monogamy in humans, **126**
hypertension, Haematospermia associated with malignant hypertension, **200**
hyphae, Microscopic features of vaginal candidiasis and their relation to symptomatology, **417**

imiquimod, Recurrent urogenital herpes simplex—successful treatment with imiquimod?: *letter,* **132**
immune reconstitution, Immune reconstitution in HIV-1 infected subjects treated with potent antiretroviral therapy: *review,* **218**
India, HIV infection and sexually transmitted diseases in a referral STD centre in south India, **191**
indigenous women, Estimating the prevalence of *Trichomonas vaginalis, Chlamydia trachomatis, Neisseria gonorrhoeae,* and human papillomavirus infection in indigenous women in northern Australia, **431**
infants, Biliary atresia in an infant born to an HIV positive mother: *letter,* **448**
influenza A, Influenza myositis and rhabdomyolysis in an HIV positive man: was zidovudine a co-factor?: *letter,* **204**
information sources, Knowledge of *Chlamydia trachomatis* genital infection and its consequences in people attending a genitourinary medicine clinic, **409**
Italy, Prevalence of STDs and HIV infection among immigrant sex workers attending an STD centre in Bologna, Italy: *letter,* **273**

leg ulcers, Local treatment of a chronic leg ulcer with GM-CSF in a patient with HIV infection: *letter,* **203**
lipids, Hydrogels containing monocaprin have potent microbicidal activities against sexually transmitted viruses and bacteria in vitro, **181**
lipodystrophy syndrome, HIV protease inhibitors, the lipodystrophy syndrome and polycystic ovary syndrome—is there a link?, **268**
London, HIV testing and prevention: family planning clinic attenders in London: *letter,* **130**
Impact of HIV on adult (15–54) mortality in London: 1979–96, **385**
Screening for sexually transmitted disease and HIV infection in termination of pregnancy services: a survey in South Thames region: *letter,* **203**
Susceptibility of gonococci isolated in London to therapeutic antibiotics: establishment of a London surveillance programme, **107**
lymphocyte proliferation, Peripheral blood T cell proliferative response to chlamydial organisms in gonococcal and non-gonococcal urethritis and presumed pelvic inflammatory disease, **327**
lymphogranuloma venereum, National guideline for the management of lymphogranuloma venereum, **S40**

male circumcision, Male circumcision: *letter,* **132**
Mali, Prevalence and risk assessment for sexually transmitted infections in pregnant women and female sex workers in Mali: is syndromic approach suitable for screening?, **358**
mass media campaign, "Try this HIV test"—an evaluation of a mass media campaign targeting homosexual men: *letter,* **273**
mathematical model, Use of antiviral treatment and prophylaxis is unlikely to have a major impact on the prevalence of herpes simplex virus type 2, **49**
menstrual cycle, Impact of menstrual cycle on the diagnostic performance of LCR, TMA, and PCE for detection of *Chlamydia trachomatis* in home obtained and mailed vaginal flush and urine samples, **228**
microbicides, Hydrogels containing monocaprin have potent microbicidal activities against sexually transmitted viruses and bacteria in vitro, **181**
Safety and acceptability of vaginal disinfection with benzalkonium chloride in HIV infected pregnant women in west Africa: ANRS 049b phase II randomised, double blinded placebo controlled trial, **420**
molluscum contagiosum, National guideline for the management of molluscum contagiosum, **S80**
monetary incentives, Monetary incentives in research and participation in HIV/STD risk reduction programmes: *editorial,* **1**
monogamy, The evolution of monogamy in humans, **126**
mortality, Impact of HIV on adult (15–54) mortality in London: 1979–96, **385**
motility, Trichomonad invasion of the mucous layer requires adhesins, mucinases, and motility, **231**
mucinases, Trichomonad invasion of the mucous layer requires adhesins, mucinases, and motility, **231**
mucous layer, Trichomonad invasion of the mucous layer requires adhesins, mucinases, and motility, **231**
mycoplasma, Scanning electron microscopy of endometrial biopsies of patients with bacterial vaginosis shows morphology resembling mycoplasma/ureaplasma organisms: *letter,* **202**
myoglobinuria, Influenza myositis and rhabdomyolysis in an HIV positive man: was zidovudine a co-factor?: *letter,* **204**
myositis, Influenza myositis and rhabdomyolysis in an HIV positive man: was zidovudine a co-factor?: *letter,* **204**

NASBA/Nuclisens, Poor reduction of HIV-1 RNA titres in nucleoside reverse transcriptase inhibitor experienced patients treated with indinavir combination therapy, **337**
Neisseria gonorrhoeae, Molecular epidemiology of *tet*M genes in *Neisseria gonorrhoeae,* **60**
Prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* in Chilean asymptomatic adolescent males determined by urine sample, **67**
Susceptibility of gonococci isolated in London to therapeutic antibiotics: establishment of a London surveillance programme, **107**
Ciprofloxacin resistance in *Neisseria gonorrhoeae* isolated in Mumbai (formerly Bombay), India, **122**
Neisseria meningitidis, Acute urethritis due to *Neisseria meningitidis: letter,* **362**
neonatal herpes, Serological evaluation of herpes simplex virus type 1 and type 2 infections in pregnancy, **168**
Netherlands, Positive attitude towards antiretroviral therapy after 6 months of treatment in a sample of Dutch HIV infected people: *letter,* **204**
new technologies, New technologies, old challenges?: *editorial,* **88**
news, News, **74, 129, 201, 272**
Nigeria, Sexually transmitted infections among Nigerian adolescent schoolgirls, **121**
Trends in seroreactivity for syphilis among pregnant Nigerian women, **120**
non-gonococcal urethritis, National guideline for the management of non-gonococcal urethritis, **S9**
Peripheral blood T cell proliferative response to chlamydial organisms in gonococcal and non-gonococcal urethritis and presumed pelvic inflammatory disease, **327**
non-specific urethritis, Treatment of non-specific urethritis should be 2 weeks, not 1: *letter,* **449**
non-viral STIs, Oral sex and the transmission of non-viral STIs: *letter,* **77**
Norway, No differences in the prevalence of venereological disease in Norwegians compared with non-Norwegians, **68**
nucleic acid sequence based amplification, Asymptomatic urethritis and detection of HIV-1 RNA in seminal plasma, **261**
nucleoside analogue monotherapy, Is nucleoside analogue monotherapy sufficient for treatment of HBV infection? Lessons from HIV: *editorial,* **87**

obituary, Frank Lanigan O'Keefe, **75**
Konstantin Konstantinovich Borisenko, **289**
ocular disease, Changing patterns of HIV related ocular disease, **18**
Changing patterns of HIV related ocular disease: *review,* **18**
opportunistic infections, Immune reconstitution in HIV-1 infected subjects treated with potent antiretroviral therapy: *review,* **218**
Opportunistic infections in the era of HAART: *editorial,* **214**
oral sex, Oral sex and the transmission of non-viral STIs: *letter,* **77**
outcome evaluation, A novel approach to outcome evaluation: *for debate,* **195**
outpatient clinics, Late presentation of HIV infected patients at Amsterdam outpatient HIV clinics: *letter,* **448**
outreach clinics, Evaluating outreach clinics: *for debate,* **198**
Evaluating outreach clinics—are we asking too much?: *editorial,* **146**

Paris, Screening of *Chlamydia trachomatis* genital infection in a young Parisian population, **188**
partner notification, A collaborative approach to management of chlamydial infection among teenagers seeking contraceptive care in a community setting, **156**
British Co-operative Clinical Group national survey on diagnostic issues surrounding genital herpes, **403**
Is partner notification in the public interest?, **354**
patients, Young working women utilise the after hours service at Sydney Sexual Health Centre, **344**
pelvic infection, National guideline for the management of pelvic infection and perihepatitis, **S54**
pelvic inflammatory disease, Pathogenesis of chlamydia induced pelvic inflammatory disease: *review,* **21**
penicillin resistance, Predicting penicillin resistance in patients with gonorrhoea, **190**
penile granuloma annulare, Penile granuloma annulare, **186**
penile intraepithelial neoplasia, Penile intraepithelial neoplasia—a veiled lesion in genitourinary medicine, **435**
perihepatitis, National guideline for the management of pelvic infection and perihepatitis, **S54**
phenotyping, Role of bacterial typing in genitourinary medicine: *editorial,* **211**
***Phthirus pubis* infestation,** National guideline for the management of *Phthirus pubis* infestation, **S78**

Pneumocystis carinii, Protection from *Pneumocystis carinii* pneumonia: *letter*, **202**
pneumonia, Protection from *Pneumocystis carinii* pneumonia: *letter*, **202**
polycystic ovary syndrome, HIV protease inhibitors, the lipodystrophy syndrome and polycystic ovary syndrome—is there a link?, **268**
polymerase chain reaction, Detection of human papillomavirus DNA on the fingers of patients with genital warts, **317**
Molecular epidemiology of *tet*M genes in *Neisseria gonorrhoeae*, **60**
Rapid detection of glycoprotein G gene for the diagnosis and typing of herpes simplex virus infection in genital herpes, **396**
Screening of *Chlamydia trachomatis* genital infection in a young Parisian population, **188**
pregnancy, British HIV Association guidelines for prescribing antiretroviral therapy in pregnancy (1998), **90**
Management of women with recurrent genital herpes in pregnancy in Australia, **55**
Serological evaluation of herpes simplex virus type 1 and type 2 infections in pregnancy, **168**
Syphilis, gonorrhoea, and drug abuse among pregnant women in Jefferson County, Alabama, US, 1980–94: monitoring trends through systematically collected health services data, **300**
Trends in seroreactivity for syphilis among pregnant Nigerian women, **120**
pregnant women, Cervical dysplasia and HIV type 1 infection in African pregnant women: a cross sectional study, Kigali, Rwanda, **103**
Prevalence and risk assessment for sexually transmitted infections in pregnant women and female sex workers in Mali: is syndromic approach suitable for screening?, **358**
prevalence Prevalence of reproductive tract infections in family planning clients in Trabzon, Turkey, **360**
prostatitis, National guideline for the management of prostatitis, **S46**
prostitution, Risky business: health and safety in the sex industry over a 9 year period, **340**
protease inhibitors, HIV protease inhibitors, the lipodystrophy syndrome and polycystic ovary syndrome—is there a link?, **268**
psoas abscess, Intrapelvic donovanosis presenting as a psoas abscess in two patients: *letter*, **75**
psychology, A social science perspective on screening for *Chlamydia trachomatis*, **239**
public health policy, From epidemiological synergy to public health policy and practice: the contribution of other sexually transmitted diseases to sexual transmission of HIV infection: *review*, **3**
public-private health sector partnerships, Public-private health sector partnerships for STD control in developing countries: perspectives from experience in rural South Africa: *editorial*, **285**
pulmonary embolism, Acute pulmonary embolism in patients with HIV disease, **25**

quality of life, Impact of suppressive antiviral therapy on the health related quality of life of patients with recurrent genital herpes infection, **398**
Quebec, Highlights of the sexual activity of the heterosexual population in the province of Quebec, **296**
quinolone resistance, Ciprofloxacin resistance in *Neisseria gonorrhoeae* isolated in Mumbai (formerly Bombay), India, **122**

rape, Integrated clinical service for sexual assault victims in a genitourinary setting, **116**
reactive arthritis, National guideline for the management of sexually acquired reactive arthritis, **S63**
reproductive tract infections, Prevalence of reproductive tract infections in family planning clients in Trabzon, Turkey, **360**
resistance assays, Commentary: Resistance testing—a clinical perspective: *editorial*, **141**
The use of HIV resistance assays—random or randomised?: *editorial*, **140**
rhabdomyolysis, Influenza myositis and rhabdomyolysis in an HIV positive man: was zidovudine a co-factor?: *letter*, **204**
risk factors, Epidemiology of vulvar vestibulitis syndrome: an exploratory case-control study, **320**
Risk factors for the acquisition of genital warts: are condoms protective?, **312**
risk reduction programmes, Monetary incentives in research and participation in HIV/STD risk reduction programmes: *editorial*, **1**
ritonavir, Cushing's syndrome and severe adrenal suppression in patients treated with ritonavir and inhaled nasal fluticasone: *letter*, **274**
rural population, Seroprevalence and incidence of genital ulcer infections in a rural Ugandan population, **98**

scabies, National guideline for the management of scabies, **S76**
scanning electron microscopy, Scanning electron microscopy of endometrial biopsies of patients with bacterial vaginosis shows morphology resembling mycoplasma/ureaplasma organisms: *letter*, **202**
schoolgirls, Sexually transmitted infections among Nigerian adolescent schoolgirls, **121**
Scotland, Homosexual men's HIV related sexual risk behaviour in Scotland, **242**
Viral subtype and heterosexual acquisition of HIV infections diagnosed in Scotland, **392**
screening, A collaborative approach to management of chlamydial infection among teenagers seeking contraceptive care in a community setting, **156**
A social science perspective on screening for *Chlamydia trachomatis* , **239**
Cervical cytology: are national guidelines adequate for women attending genitourinary medicine clinics?, **349**
Prevalence and risk assessment for sexually transmitted infections in pregnant women and female sex workers in Mali: is syndromic approach suitable for screening?, **358**
Screening of *Chlamydia trachomatis* genital infection in a young Parisian population, **188**
Should we be screening for asymptomatic HSV infections?: *editorial*, **142**
screening strategies, *Chlamydia trachomatis* prevalence and sexual behaviour among female adolescents in Belgium, **152**
self regulation, After Bristol—how should genitourinary medicine respond?: *editorial*, **144**
semen, Asymptomatic urethritis and detection of HIV-1 RNA in seminal plasma, **261**
Poor reduction of HIV-1 RNA titres in nucleoside reverse transcriptase inhibitor experienced patients treated with indinavir combination therapy, **337**
serodiagnosis, Syphilis serology and HIV infection in Harare, Zimbabwe, **426**
serology, Trends in seroreactivity for syphilis among pregnant Nigerian women, **120**
seroprevalence, Difference in seroprevalence of herpes simplex virus type 2 infection among antenatal women in Hong Kong and southern China, **123**
sex industry, Risky business: health and safety in the sex industry over a 9 year period, **340**
sex workers, HIV-1 and other sexually transmitted infections in a cohort of female sex workers in Chiang Rai, Thailand, **30**
Prevalence of STDs and HIV infection among immigrant sex workers attending an STD centre in Bologna, Italy: *letter*, **273**
sexual activity, Highlights of the sexual activity of the heterosexual population in the province of Quebec, **296**
sexual assault, Integrated clinical service for sexual assault victims in a genitourinary setting, **116**
National guideline for the management of adult victims of sexual assault, **S82**
sexual behaviour, Behaviours and expectations in relation to sexual intercourse among 18–20 year old Asians and non-Asians, **162**
Homosexual men's HIV related sexual risk behaviour in Scotland, **242**
Chlamydia trachomatis prevalence and sexual behaviour among female adolescents in Belgium: *letter*, **363**
Chlamydia trachomatis prevalence and sexual behaviour among female adolescents in Belgium, **152**
The practice and prevalence of dry sex among men and women in South Africa: a risk factor for sexually transmitted infections?, **178**
sexual dysfunction, Sexual dysfunction associated with treatment of cervical cancer: *editorial*, **375**
sexual history taking, Taking the sexual history, **361**
sexual transmission, From epidemiological synergy to public health policy and practice: the contribution of other sexually transmitted diseases to sexual transmission of HIV infection: *review*, **3**
sexually transmitted disease clinic, High prevalence of genital *Chlamydia trachomatis* infection in women presenting in different clinical settings in Jamaica: implications for control strategies, **412**
sexually transmitted diseases, Sexually transmitted disease control in developing countries: the challenge of involving the private sector : *editorial*, **283**
A novel approach to outcome evaluation: *for debate*, **195**
Attitudes to taking a sexual history in general practice in Victoria, Australia, **41**
Cervical cytology: are national guidelines adequate for women attending genitourinary medicine clinics?, **349**
Cervical dysplasia and HIV type 1 infection in African pregnant women: a cross sectional study, Kigali, Rwanda, **103**
Estimating the prevalence of *Trichomonas vaginalis*, *Chlamydia trachomatis*, *Neisseria gonorrhoeae*, and human papillomavirus infection in indigenous women in northern Australia, **431**
Evaluating outreach clinics: *for debate*, **198**
Evaluating outreach clinics—are we asking too much?: *editorial*, **146**
Follow up of treatment: an integral part of the control of *Chlamydia trachomatis* infections: *letter*, **76**
From epidemiological synergy to public health policy and practice: the contribution of other sexually transmitted diseases to sexual transmission of HIV infection: *review*, **3**
HIV infection and sexually transmitted diseases in a referral STD centre in south India, **191**
No differences in the prevalence of venereological disease in Norwegians compared with non-Norwegians, **68**
Public-private health sector partnerships for STD control in developing countries: perspectives from experience in rural South Africa: *editorial*, **285**
Role of bacterial typing in genitourinary medicine: *editorial*, **211**

Screening for sexually transmitted disease and HIV infection in termination of pregnancy services: a survey in South Thames region: *letter*, **203**
Sexually transmitted diseases and communications with general practitioners, **45**
Sexually transmitted diseases and communications with general practitioners: *letter*, **204**
Should we be screening for asymptomatic HSV infections?: *editorial*, **142**
Syphilis, gonorrhoea, and drug abuse among pregnant women in Jefferson County, Alabama, US, 1980–94: monitoring trends through systematically collected health services data, **300**
Trends in undiagnosed HIV-1 infection among attenders at genitourinary medicine clinics, England, Wales, and Northern Ireland: 1990–6, **332**
Prevalence of STDs and HIV infection among immigrant sex workers attending an STD centre in Bologna, Italy: *letter*, **273**
View from the WHO, **72**
Young working women utilise the after hours service at Sydney Sexual Health Centre, **344**
sexually transmitted infections, Are STIs underreported in rural Australia?: *editorial*, **371**
A social science perspective on screening for *Chlamydia trachomatis* , **239**
After Bristol—how should genitourinary medicine respond?: *editorial*, **144**
Cinderella and the glass slipper: the growth and modernisation of a specialty, **439**
Concurrent STIs in women referred to a GUM clinic with chlamydial infection: *letter*, **131**
HIV-1 and other sexually transmitted infections in a cohort of female sex workers in Chiang Rai, Thailand, **30**
Hydrogels containing monocaprin have potent microbicidal activities against sexually transmitted viruses and bacteria in vitro, **181**
Increasing prevalence of genital herpes in developing countries: implications for heterosexual HIV transmission and STI control programmes, **377**
Integrated clinical service for sexual assault victims in a genitourinary setting, **116**
New technologies, old challenges?: *editorial*, **88**
Prevalence and risk assessment for sexually transmitted infections in pregnant women and female sex workers in Mali: is syndromic approach suitable for screening?, **358**
Sexually transmitted infections among Nigerian adolescent schoolgirls, **121**
Sexually transmitted infections and AIDS in the tropics: *letter*, **362**
Sexually transmitted infections in elderly people: *letter*, **449**
Sexually transmitted infections in the elderly: *letter*, **131**
The practice and prevalence of dry sex among men and women in South Africa: a risk factor for sexually transmitted infections?, **178**
Sexually Transmitted Infections, An ombudsman for more transparent refereeing: *editorial*, **287**
Anniversary year: *editorial*, **89**
Siberia, Trends in the incidence of syphilis and gonorrhoea in Novosibirsk region, western Siberia: *letter*, **448**
smoking, Association of oncogenic human papillomavirus DNA with high grade cervical intraepithelial neoplasia: the role of cigarette smoking, **406**
South Africa, Public-private health sector partnerships for STD control in developing countries: perspectives from experience in rural South Africa : *editorial*, **285**
South Africa: host to a new and emerging HIV epidemic: *editorial*, **139**
South Thames (West) Region, Incidence of gonorrhoea diagnosed in GUM clinics in South Thames (West) Region, **306**
spores, Microscopic features of vaginal candidiasis and their relation to symptomatology, **417**
STD control, From Mwanza and Rakai to Beijing and Moscow? STD control and HIV prevention: *editorial*, **83**
suppressive antiviral therapy, Impact of suppressive antiviral therapy on the health related quality of life of patients with recurrent genital herpes infection, **398**
surveillance, Syphilis, gonorrhoea, and drug abuse among pregnant women in Jefferson County, Alabama, US, 1980–94: monitoring trends through systematically collected health services data, **300**
survival, Survival and progression of HIV disease in women attending GUM/HIV clinics in Britain and Ireland, **247**
syndromic management, Sexually transmitted infections in a basic healthcare clinic in Dhaka, Bangladesh: syndromic management for cervicitis is not justified, **437**
syphilis, National guideline for the management of early syphilis, **S29**
National guideline for the management of late syphilis, **S34**
Seroprevalence of HIV, hepatitis B, and syphilis in an urban population and isolated villages in Gabon, **271**
Superimposed primary chancre in a patient with Adamantiades-Behçet's disease, **124**
Syphilis serology and HIV infection in Harare, Zimbabwe, **426**
Tertiary syphilis: *letter*, **75**
Trends in seroreactivity for syphilis among pregnant Nigerian women, **120**
Trends in the incidence of syphilis and gonorrhoea in Novosibirsk region, western Siberia: *letter*, **448**

T lymphocytes, Immune reconstitution in HIV-1 infected subjects treated with potent antiretroviral therapy: *review*, **218**
termination of pregnancy, Screening for sexually transmitted disease and HIV infection in termination of pregnancy services: a survey in South Thames region: *letter*, **203**
testicular malignancy, *Chlamydia trachomatis* infection mimicking testicular malignancy in a young man, **270**
***tet*M,** Molecular epidemiology of *tet*M genes in *Neisseria gonorrhoeae*, **60**
Thailand, HIV-1 and other sexually transmitted infections in a cohort of female sex workers in Chiang Rai, Thailand, **30**
training, Training and continued medical education for postgraduates: *letter*, **133**
***Treponema pallidum*,** Syphilis serology and HIV infection in Harare, Zimbabwe, **426**
trichomonads, Trichomonad invasion of the mucous layer requires adhesins, mucinases, and motility, **231**
***Trichomonas vaginalis*,** National guideline for the management of *Trichomonas vaginalis*, **S21**
Why is *Trichomonas vaginalis* ignored?: *editorial*, **372**
tropics, Sexually transmitted infections and AIDS in the tropics: *letter*, **362**
type specific serology, British Co-operative Clinical Group national survey on diagnostic issues surrounding genital herpes, **403**

ureaplasma, Scanning electron microscopy of endometrial biopsies of patients with bacterial vaginosis shows morphology resembling mycoplasma/ureaplasma organisms: *letter*, **202**
urethritis, Acute urethritis due to *Neisseria meningitidis*: *letter*, **362**
urine, Impact of menstrual cycle on the diagnostic performance of LCR, TMA, and PCE for detection of *Chlamydia trachomatis* in home obtained and mailed vaginal flush and urine samples, **228**

vaginal bacterial phaginosis, Vaginal bacterial phaginosis?, **352**
vaginal flush specimens, Impact of menstrual cycle on the diagnostic performance of LCR, TMA, and PCE for detection of *Chlamydia trachomatis* in home obtained and mailed vaginal flush and urine samples, **228**
vaginal trichomoniasis, Recalcitrant vaginal trichomoniasis, **127**
vaginitis, Sexually transmitted infections in a basic healthcare clinic in Dhaka, Bangladesh: syndromic management for cervicitis is not justified, **437**
vaginosis, Vaginal bacterial phaginosis?, **352**
vertical transmission, Safety and acceptability of vaginal disinfection with benzalkonium chloride in HIV infected pregnant women in west Africa: ANRS 049b phase II randomised, double blinded placebo controlled trial, **420**
viral load, Association of oncogenic human papillomavirus DNA with high grade cervical intraepithelial neoplasia: the role of cigarette smoking, **406**
viral titres, Poor reduction of HIV-1 RNA titres in nucleoside reverse transcriptase inhibitor experienced patients treated with indinavir combination therapy, **337**
V/Q scan, Acute pulmonary embolism in patients with HIV disease, **25**
vulvar pain, Epidemiology of vulvar vestibulitis syndrome: an exploratory case-control study, **320**
vulvar vestibulitis syndrome, Epidemiology of vulvar vestibulitis syndrome: an exploratory case-control study, **320**
vulvovaginal candidiasis, National guideline for the management of vulvovaginal candidiasis, **S19**

Wales, Trends in undiagnosed HIV-1 infection among attenders at genitourinary medicine clinics, England, Wales, and Northern Ireland: 1990–6, **332**
WHO, View from the WHO, **72**
women, Avoiding HIV transmission: women need more options: *editorial*, **374**
Concurrent STIs in women referred to a GUM clinic with chlamydial infection: *letter*, **131**
Contraceptive needs of women: *letter*, **131**
Survival and progression of HIV disease in women attending GUM/HIV clinics in Britain and Ireland, **247**
wound healing, Local treatment of a chronic leg ulcer with GM-CSF in a patient with HIV infection: *letter*, **203**

young people, Behaviours and expectations in relation to sexual intercourse among 18–20 year old Asians and non-Asians, **162**

zidovudine, British HIV Association guidelines for prescribing antiretroviral therapy in pregnancy (1998), **90**
Influenza myositis and rhabdomyolysis in an HIV positive man: was zidovudine a co-factor?: *letter*, **204**
Zimbabwe, Syphilis serology and HIV infection in Harare, Zimbabwe, **426**